

Form - IV
(See rule 13)
ANNUAL REPORT-CHC, BORIGUMMA-2018

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr PRABHU PRASAD PANDA
	(ii) Name of HCF or CBMWTF	:	HCF
	(iii) Address for Correspondence	:	COMMUNITY HEALTH CENTER, BORIGUMMA, KORAPUT
	(iv) Address of Facility	:	COMMUNITY HEALTH CENTER, BORIGUMMA, KORAPUT
	(v) Tel. No, Fax. No	:	NA
	(vi) E-mail ID	:	chc.boriguma@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	State Government 12201/SPCB/Authorization(Bio Medical Waste)16/11/2019-IND-IV-BW-921
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No. 12201/SPCB/Authorization(Bio Medical Waste)16/11/2019-IND-IV-BW-921, v-31-03-2023:valid up to
	(xi). Status of Consents under Water Act and Air Act	:	Awaited for consent
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:16
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :76Kg(Monthly) Red Category :53Kg(Monthly) White:31 Kg(Monthly) Blue Category :132Kg(Monthly) General Solid waste:93Kg (Monthly)			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size : _____ Capacity : _____ Provision of on-site storage : (cold storage or any other provision)			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators	0		
			Plasma Pyrolysis	0		
			Autoclaves	1		
			Microwave	0		
			Hydroclave	0		
			Shredder	0		
			Needle tip cutter or destroyer	16		
			Sharps encapsulation or concrete pit	1		
			Deep burial pits:	1		
			Chemical disinfection:	-		
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)363KG			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 for CHC			
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated		Where disposed	


	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	
	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes ,Attached with this report
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	1	
	(ii) number of personnel trained	32	
	(iii) number of personnel trained at the time of induction	0	
	(iv) number of personnel not undergone any training so far	0	
	(v) whether standard manual for training is available?	yes	
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes,Nil
11	Is the disinfection method or sterilization meeting the log 4		

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01-01-2018 to 31-12-2018

.....

Name and Signature of the Head of the Institution



Date: 27/06/2019
 Place: C.H.C Borigumma